

Elenco Pubblicazioni Canobbio

Canobbio I, Visconte C, Oliviero B, Guidetti G, Zarà M, Pula G, Torti M

Increased platelet adhesion and thrombus formation in a mouse model of Alzheimer's disease
Cell Signalling 2016; 28; 1863-1871

Guidetti G, Zarà M, **Canobbio I**, Visconte C, Di Nunzio G, Torti M

Novel pharmacological inhibitors demonstrate the role of the tyrosine kinase Pyk2 in adhesion and aggregation of human platelets.
Thromb Haemost. 2016;116, 904-917

Posner MG, Upadhyay A, Abubaker AA, Fortunato T, Vara D, **Canobbio I**, Bagby S, Pula G.

Extracellular Fibrinogen Binding Protein (Efb) from Staphylococcus aureus Inhibits the Formation of Platelet-Leukocyte Complexes.
J Biol Chem. 2015 Dec 1. pii: jbc.M115.678359. [Epub ahead of print] PubMed PMID: 26627825.

Guidetti GF, **Canobbio I**, Torti M.

PI3K/Akt in platelet integrin signaling and implications in thrombosis.
Adv Biol Regul. 2015 Jun 19. pii:S2212-4926(15)30005-1. doi: 10.1016/j.jbior.2015.06.001.

Manganaro D, Consonni A, Guidetti GF, Canobbio I, Visconte C, Kim S, Okigaki M, Falasca M, Hirsch E, Kunapuli SP, Torti M.
Activation of phosphatidylinositol 3-kinase β by the platelet collagen receptors integrin $\alpha 2\beta 1$ and GPVI: The role of Pyk2 and c-Cbl.
Biochim Biophys Acta. 2015;1850:1879-88.

Canobbio I, Cipolla L, Guidetti GF, Manganaro D, Visconte C, Kim S, Okigaki M, Falasca M, Kunapuli SP, Torti M.

The focal adhesion kinase Pyk2 links Ca^{2+} signaling to Src family kinase activation and protein tyrosine phosphorylation in thrombin-stimulated platelets.
Biochem J. 2015; 469: 199-210.

Canobbio I, Abubaker AA, Visconte C, Torti M, Pula G.

Role of amyloid peptides in vascular dysfunction and platelet dysregulation in Alzheimer's disease.
Front Cell Neurosci. 2015;9:65.

Canobbio I, Guidetti GF, Oliviero B, Manganaro D, Vara D, Torti M, Pula G.

Amyloid β peptide-dependent activation of human platelets: essential role of Ca^{2+} and ADP in aggregation and thrombus formation.
Biochem J. 2014;462:513-23.

Achilli C, Grandi S, Ciana A, Guidetti GF, Malara A, Abbonante V, Cansolino L, Tomasi C, Balduini A, Fagnoni M, Merli D, Mustarelli P, **Canobbio I**, Balduini C, Minetti G.

Biocompatibility of functionalized boron phosphate (BPO₄) nanoparticles for boron neutron capture therapy (BNCT) application. Nanomedicine. 2014;10:589-97.

Canobbio I, Catricalà S, Di Pasqua LG, Guidetti G, Consonni A, Manganaro D, Torti M.

Immobilized amyloid A β peptides support platelet adhesion and activation.
FEBS Lett. 2013;587: 2606-11.

Guidetti GF, Manganaro D, Consonni A, **Canobbio I**, Balduini C, Torti M.

Phosphorylation of the guanine-nucleotide-exchange factor CalDAG-GEFI by protein kinase A regulates Ca^{2+} -dependent activation of platelet Rap1b GTPase
Biochem J. 2013;453:115-23.

Vara DS, Campanella M, **Canobbio I**, Dunn WB, Pizzorno G, Hirano M, Pula G. Autocrine amplification of integrin $\alpha IIb\beta 3$ activation and platelet adhesive responses by deoxyribose-1-phosphate.

Thromb Haemost. 2013;109:1108-19.

Cipolla L, Consonni A, Guidetti G, **Canobbio I**, Okigaki M, Falasca M, Ciraolo E, Hirsch E, Balduini C, Torti M.
The proline-rich tyrosine kinase pyk2 regulates platelet integrin α IIb β 3 outside-in signaling.
J Thromb Haemost. 2013;11:345-56.

Canobbio I, Cipolla L, Consonni A, Momi S, Guidetti G, Oliviero B, Falasca M, Okigaki M, Balduini C, Gresele P, Torti M.
Impaired thrombin-induced platelet activation and thrombus formation in mice lacking the Ca²⁺-dependent tyrosine kinase Pyk2.
Blood. 2013;121:648-57.

Consonni A, Cipolla L, Guidetti G, **Canobbio I**, Ciraolo E, Hirsch E, Falasca M, Okigaki M, Balduini C, Torti M.
Role and regulation of phosphatidylinositol 3-kinase β in platelet integrin α 2 β 1 signaling.
Blood. 2012;119:847-56.

Catricalà S, Guidetti GF, **Canobbio I**, Pecci A, Balduini CL, Balduini C, Torti M.
The irreversibility of platelet aggregation is regulated by myosin IIA, but is not compromised in MYH9-related disease.
Thromb Res. 2011, 127:171-3

Canobbio I, Catricalà S, Balduini C, Torti M.
Calmodulin regulates the non-amyloidogenic metabolism of amyloid precursor protein in platelets.
Biochim Biophys Acta. 2011;1813:500-6

Canobbio I, Catricalà S, Balduini C, Torti M.
Calmodulin regulates the non-amyloidogenic metabolism of amyloid precursor protein in platelets.
Biochim Biophys Acta. 2011;1813:500-6

Lova P, Guidetti GF, **Canobbio I**, Catricalà S, Balduini C, Torti M.
Epinephrine-mediated protein kinase C and RAP1b activation requires the co-stimulation of G α _s-, G α _q-, and G α _i-coupled receptors.
Thromb Haemost. 2010;105(3).

Lova P, **Canobbio I**, Guidetti GF, Balduini C, Torti M.
Thrombin induces platelet activation in the absence of functional protease activated receptors 1 and 4 and glycoprotein Ib-IX-V.
Cell Signal. 2010 22:1681-7

Canobbio I, Stefanini L, Cipolla L, Ciraolo E, Gruppi C, Balduini C, Hirsch E, Torti M.
Genetic evidence for a predominant role of PI3K β catalytic activity in ITAM- and integrin mediated signaling in platelets.
Blood. 2009 114:2193-6.

Canobbio I, Trionfini P, Guidetti GF, Balduini C, Torti M.
Targeting of the small GTPase Rap2b, but not Rap1b, to lipid rafts is promoted by palmitoylation at Cys176 and Cys177 and is required for efficient protein activation in human platelets.
Cell Signal. 2008;20:1662-70.

Reineri S, Bertoni A, Sanna E, Baldassarri S, Sarasso C, Zanfa M, **Canobbio I**, Torti M, Sinigaglia F.
Membrane lipid rafts coordinate estrogen-dependent signaling in human platelets.
Biochim Biophys Acta. 2007;1773:273-8.

Canobbio I, Stefanini L, Guidetti GF, Balduini C, Torti M.
A new role for Fc γ RIIA in the potentiation of human platelet activation induced by weak stimulation.
Cell Signal. 2006;18:861-70.

Pecci A, **Canobbio I**, Balduini A, Stefanini L, Cisterna B, Marseglia C, Noris P, Savoia A, Balduini CL, Torti M.
Pathogenetic mechanisms of hematological abnormalities of patients with MYH9 mutations.
Hum Mol Genet. 2005;14:3169-78.

Canobbio I., Noris P., Pecci A., Balduini A., Balduini C.L., Torti M.

Altered cytoskeleton organization in platelets from patients with MYH9-related disease
J Thromb Haemost. 2005;3:1026-35.

L. Moro, S. Reineri, D. Piranda, D. Pietrapiana, P. Lova, A. Bertoni, A. Graziani, P. Defilippi, I. Canobbio, M. Torti, F. Sinigaglia
Non-genomic effects of 17 β -estradiol in human platelets: potentiation of thrombin-induced aggregation through estrogen receptor and Src kinase
Blood 2005, 105; 115-121

Canobbio I., Balduini C., Torti M.
Signalling through the platelet GPIb-V-IX complex
Cell Signalling 2004; 16: 1329-1344.

Canobbio I., Reineri S, Sinigaglia F, Balduini C, Torti M.
A role for p38 MAP kinase in platelet activation by von Willebrand Factor
Thromb Haemost. 2004; 91: 102-10.

C. Balduini, M. Torti, Canobbio I.
von Willebrand factor and platelet function
Giornale dell'Accademia di Medicina di Torino, 2003; 238-248.

Canobbio I., Lova P., Sinigaglia F., Balduini C., Torti M.
Proline-rich tyrosine kinase 2 and focal adhesion kinase are involved in different phases of platelet activation by von Willebrand factor
Thromb. Haemost. 2002, 87, 509-517

Canobbio I., Bertoni A., Lova P., Paganini S., Sinigaglia F., Hirsch E., Balduini C., Torti M.
Platelet activation by von Willebrand Factor requires coordinated signaling through thromboxane A₂ and Fc γ RIIA receptor
J. Biol. Chem. 2001, 276, 26022-26029

Torti M., Bertoni A., Canobbio I., Sinigaglia F., Lapetina E.G., Balduini C.
Interaction of the low molecular weight GTP-binding protein rap2B with the cytoskeleton is mediated by direct binding to the actin filaments
J. Cell. Biochem. 1999, 75, 675-685

Torti M., Bertoni A., Canobbio I., Sinigaglia F., Balduini C.
Hydrolysis of NADP⁺ by platelet CD38 in the absence of synthesis and degradation of cyclic ADP-ribose 2'-phosphate
FEBS 1999, 455, 359-363

Torti M., Bertoni A., Canobbio I., Sinigaglia F., Lapetina E.G., Balduini C.
Rap1B and Rap2B translocation to the cytoskeleton by von Willebrand factor involves Fc γ receptor-mediated protein-tyrosine phosphorylation
J. Biol. Chem. 1999, 274, 13690-13697